Sikafloor Level Ultra



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.01.2020	10000030059	Date of first issue: 16.01.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sikafloor Level Ultra
Product code	: 10000030059
Manufacturer or supplier's d	letails
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H350 May cause cancer by inhalation.
Precautionary statements	:	Prevention:
		 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection.

Sikafloor Level Ultra



Version 1.0	Revision Date: 16.01.2020	SDS Number: 100000030059	Date of last issue: - Date of first issue: 16.01.2020	
		P281 Use personal protect	tive equipment as required.	
		Response:		
	P302 + P352 IF ON SKIN: Wash with plenty P305 + P351 + P338 + P310 IF IN EYES: R water for several minutes. Remove contact I and easy to do. Continue rinsing. Immediate CENTER or doctor/ physician. P308 + P313 IF exposed or concerned: Get attention. P333 + P313 If skin irritation or rash occurs: vice/ attention.	10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON ian. or concerned: Get medical advice/		
		Storage:		
		P405 Store locked up.		
		Disposal:		
		container to an approved waste		

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Limestone	1317-65-3	>= 10 -< 30
Cement, portland, chemicals	65997-15-1	>= 10 -< 20
calcium sulfate	7778-18-9	< 10
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital.

Sikafloor Level Ultra



Version 1.0	Revision Date: 16.01.2020	SDS Number: 100000030059	Date of last issue: - Date of first issue: 16.01.2020		
		Remove contact lenses.			
lf swa	llowed	Keep eye wide open while r			
n Swa	liowed	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 			
		Obtain medical attention.			
Most i	important symptoms	: irritant effects			
	ffects, both acute and	sensitising effects			
delaye	ed	Allergic reactions			
		Excessive lachrymation			
		Dermatitis	tailed information on health effects		
		and symptoms.			
		Causes skin irritation.			
		May cause an allergic skin r	reaction.		
		Causes serious eye damage			
		May cause cancer by inhala	ition.		
Notes	to physician	: Treat symptomatically.			
SECTION	5. FIREFIGHTING MEAS	SURES			
Suitab	ble extinguishing media	: Use extinguishing measures	s that are appropriate to local cir-		

Hazardous combustion prod- ucts	:	cumstances and the surrounding environment. No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

	ce on protection against and explosion	:	Normal measures for preventive fire protection.
Advi	ce on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing.

Sikafloor Level Ultra



Version 1.0	Revision Date: 16.01.2020		SDS Number: 100000030059	Date of last issue: - Date of first issue: 16.01.2020
		P m no	a, allergies, chronic or re	e section 8. kin sensitisation problems or asth- current respiratory disease should ocess in which this mixture is being
		pl	ication area.	ng should be prohibited in the ap-
			ollow standard hygiene m roducts	easures when handling chemical
Hygiene measures			andle in accordance with actice.	good industrial hygiene and safety
			/hen using do not eat or d	lrink.
			/hen using do not smoke.	and at the end of workday.
Condit	tions for safe storage	: K pl		ed in a dry and well-ventilated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.1 mg/m3	AU OEL
Limestone	1317-65-3	TWA	10 mg/m3 (Calcium car- bonate)	AU OEL
		ation: This value < 1% crystalline	is for inhalable dust silica	containing no
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL
	Further information: This value is for inhalable dust containing no			
	asbestos and •	< 1% crystalline	silica	
calcium sulfate	7778-18-9	TWA	10 mg/m3	AU OEL
		Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica		
Quartz (SiO2) <5µm	14808-60-7	TWA (Res- pirable dust)	0.1 mg/m3	AU OEL
Appropriate engineering : controls	 Provide appropriate exhaust ventilation at places where dust is formed. 			
Personal protective equipmen	t			
Respiratory protection:Hand protection:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.			

Components with workplace control parameters

Sikafloor Level Ultra



Version 1.0	Revision Date: 16.01.2020		SDS Number: 100000030059	Date of last issue: - Date of first issue: 16.01.2020
	ye protection kin and body protection	:	Follow AS/NZS 1337.1 Safety goggles Wear suitable face shield. Protective clothing (e.g. safety sh clothing, long trousers) Follow AS 2210:3	oes, long-sleeved working
SECTI	ON 9. PHYSICAL AND CHE	MIC	CAL PROPERTIES	
C	ppearance olour dour dour Threshold	:	Solid form grey No data available No data available	
pl	4	:	No data available	
ро	elting point/range / Freezing bint biling point/boiling range	:	No data available No data available	
		·		
	ash point		No data available	
E	vaporation rate	:	No data available	
FI	ammability (solid, gas)	:	No data available	
	pper explosion limit / Upper ammability limit	:	No data available	
	ower explosion limit / Lower ammability limit	:	No data available	
V	apour pressure	:	No data available	
R	elative vapour density	:	No data available	
D	ensity	:	No data available	
	ulk density	:	1.22 kg/m3	
S	olubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	artition coefficient: n-	:	No data available	
	ctanol/water uto-ignition temperature	:	No data available	
D	ecomposition temperature	:	No data available	
Vi	iscosity Viscosity, dynamic	:	No data available	

Sikafloor Level Ultra



Version 1.0	Revision Date: 16.01.2020		SDS Number: 100000030059	Date of last issue: - Date of first issue: 16.01.2020
	Viscosity, kinematic	:	No data available	
Exp	plosive properties	:	No data available	
Ox	idizing properties	:	No data available	
Vol	atile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution p Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	5	
Chemical stability	:	The product is chemically stable.	
Possibility of hazardous reac-	:	No hazards to be specially mentioned.	
tions			
Conditions to avoid	:	No data available	
Incompatible materials	:	see section 7.	
No decomposition if stored and applied as directed.			

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

calcium sulfate: Acute oral toxicity

: LD50 Oral (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

Sikafloor Level Ultra

Revision Date:

Version



Date of last issue: -

1.0	16.01.2020	10000030059	Date of first issue: 16.01.2020
	Reproductive toxicity Not classified based on availabl	e information.	
	STOT - single exposure Not classified based on availabl	e information.	
	STOT - repeated exposure Not classified based on availabl	e information.	
	Aspiration toxicity Not classified based on availabl	e information.	
SEC	CTION 12. ECOLOGICAL INFOR	RMATION	
	Ecotoxicity No data available		
	Persistence and degradability No data available	,	
	Bioaccumulative potential No data available		
	Mobility in soil No data available		
	Other adverse effects		
	Product: Additional ecological infor- :	There is no data available fo	or this product.

SDS Number:

mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
	Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents.
	Dispose of as unused product.
	Do not re-use empty containers.
If potential for exposure exis	ts refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

Sikafloor Level Ultra



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.01.2020	10000030059	Date of first issue: 16.01.2020

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Not applicable for product as supplied

National Regulations

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	No poison schedule number allocated			
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable			
Prohibition/Licensing Requirements	: There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.			

The components of this product are reported in the following inventories:				
AICS :	Not in compliance with the inventory			

SECTION 16. OTHER INFORMATION

Revision Date Date format	:	16.01.2020 dd.mm.yyyy
Full text of other abbreviati	ons	
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
AU OEL / TWA	:	Exposure standard - time weighted average
ADG ADR	:	Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL	:	Chemical Abstracts Service Derived no-effect level
EC50 GHS	:	Half maximal effective concentration
IATA	:	Globally Harmonized System International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at

Sikafloor Level Ultra



Version 1.0	Revision Date: 16.01.2020		SDS Number: 100000030059	Date of last issue: - Date of first issue: 16.01.2020
			test animals)	h of 50% (one half) of a group of
LC50		:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)	
MARPO	L	:	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	
OEL		:	: Occupational Exposure Limit	
PBT		: Persistent, bioaccumulative and toxic		and toxic
PNEC		:	: Predicted no effect concentration	
REACH		:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency	
SVHC		:	: Substances of Very High Concern	
vPvB		:	Very persistent and very bioa	accumulative

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN