

NON-Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: 52L-LINE DULUX WASH&WEAR INTERIOR LOW SHEEN

Synonyms	Product Code	Bar Code
Dulux Wash&Wear Interior Low Sheen Antique White USA	52L73412-10L	9300611538635
10L		
Dulux Wash&Wear Interior Low Sheen Antique White USA	52L73411-15L	
15L		
Dulux Wash&Wear Interior Low Sheen Antique White USA	52L73412-15L	9300611539830
15L		
Dulux Wash&Wear Interior Low Sheen Antique White USA 4L	52L73412-4L	9300611538628
Dulux Wash&Wear Interior Low Sheen Blue 1L	52L87662-1L	9300611538918
Dulux Wash&Wear Interior Low Sheen Blue 200L	52L87662-200L	
Dulux Wash&Wear Interior Low Sheen Blue 2L	52L87662-2L	9300611538901
Dulux Wash&Wear Interior Low Sheen Blue 4L	52L87662-4L	9300611538895
Dulux Wash&Wear Interior Low Sheen Bold Yellow 1L	52L84473-1L	9300611538956
Dulux Wash&Wear Interior Low Sheen Bold Yellow 200L	52L84473-200L	
Dulux Wash&Wear Interior Low Sheen Bold Yellow 2L	52L84473-2L	
Dulux Wash&Wear Interior Low Sheen Bold Yellow 4L	52L84473-4L	9300611538949
Dulux Wash&Wear Interior Low Sheen Cardrona 10L	52LA0663-10L	9400513204550
Dulux Wash&Wear Interior Low Sheen Cardrona 4L	52LA0663-4L	9400513204543
Dulux Wash&Wear Interior Low Sheen Deep 10L	52L04914-10L	9300611539069
Dulux Wash&Wear Interior Low Sheen Deep 1L	52L04914-1L	9300611539052
Dulux Wash&Wear Interior Low Sheen Deep 200L	52L04914-200L	
Dulux Wash&Wear Interior Low Sheen Deep 2L	52L04914-2L	9300611539045
Dulux Wash&Wear Interior Low Sheen Deep 4L	52L04914-4L	9300611539038
Dulux Wash&Wear Interior Low Sheen Deep Blue 1L	52LD0179-1L	9300611543653
Dulux Wash&Wear Interior Low Sheen Deep Blue 2L	52LD0179-2L	9300611543646
Dulux Wash&Wear Interior Low Sheen Deep Blue 4L	52LD0179-4L	9300611543639
Dulux Wash&Wear Interior Low Sheen Deep Magenta 4L	52LD0180-4L	9300611543660
Dulux Wash&Wear Interior Low Sheen Deep Magenta 1L	52LD0180-1L	9300611543684
Dulux Wash&Wear Interior Low Sheen Deep Magenta 2L	52LD0180-2L	9300611543677
Dulux Wash&Wear Interior Low Sheen Extra Bright 1L	52L87663-1L	9300611538888
Dulux Wash&Wear Interior Low Sheen Extra Bright 200L	52L87663-200L	
Dulux Wash&Wear Interior Low Sheen Extra Bright 2L	52L87663-2L	9300611538871
Dulux Wash&Wear Interior Low Sheen Extra Bright 4L	52L87663-4L	9300611538864
Dulux Wash&Wear Interior Low Sheen Hog Bristle 10L	52L89965-10L	9300611538567
Dulux Wash&Wear Interior Low Sheen Hog Bristle 4L	52L89965-4L	9300611538550
Dulux Wash&Wear Interior Low Sheen Hog Bristle Quarter	52L89808-10L	9300611553447
10L	02200000 102	
Dulux Wash&Wear Interior Low Sheen Hog Bristle Quarter 4L	52L89808-4L	9300611553454
Dulux Wash&Wear Interior Low Sheen Lexicon 10L	52L89972-10L	9300611553461
Dulux Wash&Wear Interior Low Sheen Lexicon 4L	52L89972-4L	9300611553478
Dulux Wash&Wear Interior Low Sheen Lexicon Quarter 4L	52LA1041-4L	9300611679413
Dulux Wash&Wear Interior Low Sheen Lexicon Quarter 10L	52LA1041-10L	9300611679420
Dulux Wash&Wear Interior Low Sheen Lexicon Quarter 15L	52LA1041-15L	9300611576590
Dulux Wash&Wear Interior Low Sheen Magenta 1L	52L88075-1L	9300611538857
Dulux Wash&Wear Interior Low Sheen Magenta 2L	52L88075-2L	9300611538840
Dulux Wash&Wear Interior Low Sheen Magenta 4L	52L88075-4L	9300611538833
Dulux Wash&Wear Interior Low Sheen Magenta 4L	52L88075-4L 52LA0772-10L	9400513203560
Dulux Wash&Wear Interior Low Sheen Manorburn 4L	52LA0772-4L	9400513203500
Dulux Wash&Wear Interior Low Sheen Mt Aspiring 10L	52LA0798-10L	9400513203522
Dulux Wash&Wear Interior Low Sheen Mt Aspiring 4L	52LA0798-10L	9400513203535
Duiux washawear milenor Low Sheen wit Aspining 4L	J2LAU/ 30-4L	3400313203313

Product Name: 52L-LINE DULUX WASH&WEAR INTERIOR LOW SHEEN Reference No: DLXGHSEN001037



Recommended use: Interior broadwall, waterbased surface coating. Applied by brush, roller or spray.

Supplier: ABN:	Dulux Australia, a division of DuluxGroup (Australia) Pty Ltd 67 000 049 427
Street Address:	1956 Dandenong Road Clayton VIC 3168 Australia
Telephone:	13 25 25

Emergency Telephone number: Australia – 1800 220 770; New Zealand – 0800 220 770

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Product Name: 52L-LINE DULUX WASH&WEAR INTERIOR LOW	Reference No: DLXGHSEN001037
SHEEN	

Dulux.

3. COMPOSITION INFORMATION

CHEMICAL ENTITY

Ingredients determined to be non-hazardous or below reporting limits

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Fire fighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear

Product Name: 52L-LINE DULUX WASH&WEAR INTERIOR LOW Reference No: DLXGHSEN001037 SHEEN



PROPORTION

100 % (w/w)

100%

CAS NO



protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Viscous Liquid
Colour:	Various
Odour:	Mild, characteristic

Solubility: Specific Gravity: Relative Vapour Density (air=1): Vapour Pressure: Flash Point (°C): Flammability Limits (%): Autoignition Temperature (°C): Melting Point/Range (°C): Boiling Point/Range (°C): pH: Viscosity: Total VOC (g/Litre): Miscible with water. 1.0 - 1.7 >1 N Av N App N App N Av N Av N Av Approx. 100 8 - 10 >21 mm²/s @ 40 °C N Av

Product Name: 52L-LINE DULUX WASH&WEAR INTERIOR LOW SHEEN Reference No: DLXGHSEN001037



(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant.

Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 20.0 \text{ mg/L}$ for vapours or $LC_{50} > 5.0 \text{ mg/L}$ for dust and mist.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): LD₅₀ > 2,000 mg/Kg bw

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): LD₅₀ > 2,000 mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Product Name: 52L-LINE DULUX WASH&WEAR INTERIOR LOW		Reference No: DLXGHSEN001037	
SHEEN			
Issued: 19 May 2020	Version: 2.1	Page 5 of 7	



Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances) The Stockholm Convention (Persistent Organic Pollutants)

Product Name: 52L-LINE DULUX WASH&WEAR INTERIOR LOW	Reference No: DLXGHSEN001037
SHEEN	



The Rotterdam Convention (Prior Informed Consent) Basel Convention (Hazardous Waste) International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: Formulations where all components are AICS listed.

16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since the company cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.